# **KPDES FORM 1**





IV. OWNER/OPERATOR INFORMAT	TION		
A. Type of Ownership:			
Publicly Owned Privately Own		Both Public and Priv	rate Owned  Federally owned
B. Operator Contact Information (See instance of Treatment Plant Operator:	ructions)	Telephone Number:	
Ben Almon		(270)825-4560	
Operator Mailing Address (Street): P.O. Drawer 1210			
Operator Mailing Address (City, State, Zip Code):			
Madisonville, KY 42431 Is the operator also the owner?		10 th = 0 = +: C = 40	(for a list and forting place and number helps)
Yes No		Yes No	If yes, list certification class and number below.
Certification Class:		Certification Number:	
V. EXISTING ENVIRONMENTAL PE			
Current NPDES Number:	Issue Date of Current Pern	nit:	Expiration Date of Current Permit:
KY0001970	10/01/2005		5/31/2010
Number of Times Permit Reissued:	Date of Original Permit Iss	suance:	Sludge Disposal Permit Number:
1 Kentucky DOW Operational Permit #:	Kentucky DSMRE Permit	Number(s):	
Remucky DOW Operational Fernitt #.		Number(s):	
	854-0241		<u> </u>
Which of the following additional environr	nental permit/registratio	n categories will also	apply to this facility?
GATE CODY	EVICEDIC DED	A CITE ILLUMY A N. C.	PERMIT NEEDED WITH
CATEGORY	EXISTING PER	MIT WITH NO.	PLANNED APPLICATION DATE
Air Emission Source			
Solid or Special Waste			
Hazardous Waste - Registration or Permit			
W. DISCHARGE MONTORNIC DEP	ODMC (DEED )		
VI. DISCHARGE MONITORING REP	ORTS (DMRs)		
KPDES permit holders are required to su	bmit DMRs to the Div	rision of Water on a	regular schedule (as defined by the KPDES
permit). Information in this section serves	to specifically identify	the name and telephor	ne number of the DMR official and the DMR
mailing address (if different from the prima	ary mailing address in Se	ection I.C).	
A. DMR Official (i.e., the department,	office or individual		
designated as responsible for submitting			
Division of Water):		Greta Wright	
DMR Official Telephone Number:		(270)249-6016	
Divite Official Telephone Number.		(270)249-0010	
B. DMR Mailing Address:			
Address the Division of Water will			
Contact address if another individ	ual, company, laboratory	, etc. completes DMR	s for you; e.g., contract laboratory address.
DMR Mailing Name:	SGS North America Inc	c Mineral Services I	Division
DMR Mailing Address:			
Bille Mailing Hadress.	618 Bob Posey Street		

VII. APPLICATION FILING FEE	

KPDES regulations require that a permit applicant pay an application filing fee equal to twenty percent of the permit base fee. Please examine the base and filing fees listed below and in the Form 1 instructions and enclose a check payable to "Kentucky State Treasurer" for the appropriate amount (for permit renewals, please include the KPDES permit number on the check to ensure proper crediting). Descriptions of the base fee amounts are given in the "General Instructions."

Facility Fee Category:	Filing Fee Englosed:
Small Non-POTW	\$200.00

#### VIII. CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NAME AND OFFICIAL TITLE (type or print):	TELEPHONE NUMBER (area code and number):
Mr. Ms. Rusty Ashcraft - Manager Environmental Affairs	(859)224-7225
SIGNATURE	7/14/0 G

Return completed application form and attachments to: KPDES Branch, Division of Water, Frankfort Office Park, 14 Reilly Road, Frankfort, KY 40601. Direct questions to: KPDES Branch at (502) 564-3410.

## **POWER OF ATTORNEY**

### ALLIANCE COAL, LLC AND SUBSIDIARIES

TO

#### RAYMOND R. ASHCRAFT, JR.

#### **MARCH 29, 2001**

**EXPIRES: INDEFINITE** 

KNOW ALL MEN BY THESE PRESENTS: That Alliance Coal, LLC organized and existing under the laws of the State of Delaware (the "Company") acting on its behalf and its wholly owned subsidiaries, has and does hereby appoint Raymond R. Ashcraft, Jr., its true and lawful Attorney in Fact with power and authority, for and on behalf, and in the name of the Company business, to file for, execute, process, or otherwise take necessary action pertaining to environmental applications for air, waste, and water permits, applications for surface disturbance mining permits, renewals thereof, or amendments or supplements thereto, certificates or other instruments directly related to such applications, renewals, amendments or supplements required to be filed with any local, state or federal governments agency directly related to the Company coal mining operations.

The Attorney herein appointed shall be authorized to act hereunder from the date hereof only so long as such Attorney shall remain an employee or authorized agent of the Company, or until such earlier time as this instrument has been revoked, annulled, rescinded or set aside by an instrument or revocation filed with the Company, whichever first occurs.

IN WITNESS WHEREOF, the Company has caused this Power of Attorney to be executed on its behalf, and its seal to be hereunto affixed and attested, in the County of Tulsa, State of Oklahoma, as of the day and year first above written, by the undersigned, Thomas L. Pearson, Esq. the duly authorized Secretary of Alliance Coal, LLC and Subsidiaries.

Alliance Coal, LLC and Subsidiaries

BY: Shome & D

Thomas L. Pearson, Esq. Senior Vice President - Law and Administration, General Counsel and

Secretary

STATE OF OKLAHOMA	J
	) SS.
COUNTY OF TULSA	)


Before me, the undersigned, a Notary Public in and for said County and State, on this day of March, 2001, personally appeared Thomas L. Pearson, Esq., to me known to be the identical person who executed the within and forgoing instrument as Secretary of Alliance Coal, LLC and its subsidiaries and acknowledged to me that he executed the same as his free and voluntary act and deed and as the free and voluntary act and deed of the corporation for the uses and purposes therein stated.


Given under my hand and seal of office on the day and year first above written.

**SEAL** 

Notary Public

My Commission Expires: August 13, 2003







#### **Analysis Report**

July 10, 2009

WARRIOR COAL 57 JE ELLIS ROAD MADISONVILLE KY 42431

ATTN: Greta Wright

Page 1 of 1

Client Sample ID:

001

Field - pH:

8.9

Date Sampled:

Jun 23, 2009

Field - Flow:

0.1

Date Received: **Product Description:**  Jun 23, 2009

WATER

Field - Temperature:

Sample Point: Permit #:

KY0104281

Water Elevation:

Comments:

Amended Report to include Total Cadmium Analysis.

SGS Minerals Sample ID: 511-0933712-001

				A	NALYZED
<u>Tests</u>	Result	<u>Unit</u>	Method	DATE	TIME ANALYST
Hardness, mg equivalent CaCO3/L	108	mg/L	SM 2340 C	06/26/2009	10:58:00 AM RC
Cyanide, Total	<0.1	μg/L	EPA 335.2	06/30/2009	4:12:00 PM KET
Sulfate, SO4	48	mg/L	ASTM D516	06/25/2009	2:03:00 PM SN
Phenols, Total	<0.05	g/L	ASTM D974	06/30/2009	4:13:00 PM KET
Conductivity	270	μS/cm	SM 2510	06/25/2009	2:29:00 PM RC
Total Suspended Solids	21	mg/L	SM 2540 D	06/25/2009	11:53:00 AN RC
METALS BY ICP					
Antimony, Sb - Total	<0.01	mg/L	EPA 200.7	06/29/2009	10:26:00 AM RC
Arsenic, As - Total	0.007	mg/L	EPA 200.7	06/29/2009	10:26:00 AN RC
Beryllium, Be - Total	<0.01	mg/L	EPA 200.7	06/29/2009	10:26:00 AN RC
Cadmium, Cd - Total	0.003	mg/L	EPA 200.7	06/29/2009	10:27:00 AM RC
Chromium, Cr - Total	<0.02	mg/L	EPA 200.7	06/29/2009	10:27:00 AN RC
Copper, Cu - Total	<0.01	mg/L	EPA 200.7	06/29/2009	10:27:00 AN RC
Lead, Pb - Total	<0.02	mg/L	EPA 200.7	06/29/2009	10:27:00 AM RC
Mercury, Hg - Total	<0.0002	mg/L	EPA 200.7	07/01/2009	4:13:00 PM MST
Nickel, Ni - Total	<0.01	mg/L	EPA 200.7	06/29/2009	10:27:00 AM RC
Selenium, Se - Total	<0.01	mg/L	EPA 200.7	06/29/2009	10:28:00 AN RC
Silver, Ag - Total	<0.01	mg/L	EPA 200.7	06/29/2009	10:28:00 AN RC
Thallium, TI - Total	<0.01	mg/L	EPA 200.7	06/29/2009	10:28:00 AN RC
Zinc, Zn - Total	<0.01	mg/L	EPA 200.7	06/29/2009	10:28:00 AN RC

SGS North America Inc.


Minerals Services Division

618 Bob Posey Street Henderson KY 42420 t (270)-827-1187 f (270)-826-0719 www.sgs.com/minerals

Member of the SGS Group
This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms\_and\_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

# **KPDES FORM C**





# KENTUCKY POLLUTANT DISCHARGE ELIMINATION SYSTEM

## PERMIT APPLICATION

A complete application consists of this form and Form 1. For additional information, contact KPDES Branch, (502) 564-3410.

Name of Facility: Warrior Mine vent shaft sewage lagoon #002	County: Hopki	ns						
I. OUTFALL LOCATION	AGENCY USE	0	\	O	4	a	8	1

For each outfall list the latitude and longitude of its location to the nearest 15 seconds and the name of the receiving water.

Outfall No.		LATITUDE			LONGITUDE	3	
(list)	Degrees	Minutes	Seconds	Degrees	Minutes	Seconds	RECEIVING WATER (name)
002	37	22	53	87	36	43	Unnamed trib. of Pond Creek
, ,							
	İ				]		

#### II. FLOWS, SOURCES OF POLLUTION, AND TREATMENT TECHNOLOGIES

- A. Attach a line drawing showing the water flow through the facility. Indicate sources of intake water, operations contributing wastewater to the effluent, and treatment units labeled to correspond to the more detailed descriptions in Item B. Construct a water balance on the line drawing by showing average flows between intakes, operations, treatment units, and outfall. If a water balance cannot be determined (e.g., for certain mining activities), provide a pictorial description of the nature and amount of any sources of water and any collection or treatment measures.
- B. For each outfall, provide a description of: (1) all operations contributing wastewater to the effluent, including process wastewater, sanitary wastewater, cooling water, and storm water runoff; (2) the average flow contributed by each operation; and (3) the treatment received by the wastewater. Continue on additional sheets if necessary.

OUTFALL NO.	OPERATION(S) CONTRI	BUTING FLOW	TREATM	ENT
(list)	Operation (list)	Avg/Design Flow (include units)	Description	List Codes from Table C-1
002	Waster Water Treatment	9,000 gal/day	Sewage Lagoon #2	3B, 2F
l				

1

	Yes (Complete th	e following to	able.)	$\boxtimes$	No (Go	to Section III.)		
OUTFALL	OPERATIONS	FREQU	ENCY			FLOW		
NUMBER	CONTRIBUTING FLOW	Days Per Week	Months Per Year	Flow (in n		Total	volume vith units)	Duration (in days)
(list)	(list)	(specify average)	(specify average)	Long-Term Average	Maximum Daily	Long-Term Average	Maximum Daily	
							<u></u>	
III. MAXIN	IUM PRODUCTION	V						
A. Does an e	effluent guideline limi	tation promu	lgated by El	PA under Section	on 304 of the C	lean Water Act	apply to your f	facility?
K-7								
$\boxtimes$	Yes (Complete Ite	em III-B) Lis	t effluent gi	uideline categor	·у:			
	Yes (Complete Ite  No (Go to Section	-	t effluent gu	uideline categor	·y:			
	•	ı IV)		-		on (or other mea	asures of operat	ion)?
	No (Go to Section	n IV) cable effluent		-	ms of production	on (or other mea	asures of operat	ion)?
B. Are the li	No (Go to Section mitations in the applications in the application	n IV) cable effluent em III-C) m III-B, list	guideline e	expressed in termal No (Go to Softy which repress	ms of production ection IV) sents the actual	ıl measurement	of your maxi	mum level of
B. Are the li	No (Go to Section mitations in the applications of the Application (Complete Itemswered "Yes" to Itemswere	n IV) cable effluent em III-C) m III-B, list	guideline e	expressed in term  No (Go to So  ty which represe  applicable efflor	ms of production ection IV) sents the actual	ıl measurement	of your maxi	mum level of lls.
B. Are the li	No (Go to Section mitations in the applications of the applications) Yes (Complete Itemswered "Yes" to Items, expressed in the terms.	n IV) cable effluent em III-C) m III-B, list rms and units	guideline e  the quantit used in the	No (Go to So ty which represapplicable effloating	ms of production action IV) sents the actuation guideline,	Il measurement and indicate the	of your maxing affected outfa	mum level of lls. Outfalls
B. Are the li	No (Go to Section mitations in the applications of the applications) Yes (Complete Itemswered "Yes" to Items, expressed in the terms.	n IV) cable effluent em III-C) m III-B, list ems and units	guideline e  the quantit used in the	No (Go to So ty which represapplicable effloating	ms of production action IV) sents the actuation guideline, uct, Material,	Il measurement and indicate the	of your maxing affected outfa	mum level of lls. Outfalls
B. Are the li	No (Go to Section mitations in the applications of the applications) Yes (Complete Itemswered "Yes" to Items, expressed in the terms.	n IV) cable effluent em III-C) m III-B, list ems and units	guideline e  the quantit used in the	No (Go to So ty which represapplicable effloating	ms of production action IV) sents the actuation guideline, uct, Material,	Il measurement and indicate the	of your maxing affected outfa	mum level of lls. Outfalls
B. Are the li	No (Go to Section mitations in the applications of the applications) Yes (Complete Itemswered "Yes" to Items, expressed in the terms.	n IV) cable effluent em III-C) m III-B, list ems and units	guideline e  the quantit used in the	No (Go to So ty which represapplicable effloating	ms of production action IV) sents the actuation guideline, uct, Material,	Il measurement and indicate the	of your maxing affected outfa	mum level of lls. Outfalls
B. Are the li  If you ar production  Quantity Per  IV. IMPRO  A. Are you	No (Go to Section mitations in the applications of the application) Yes (Complete Itemswered "Yes" to Items, expressed in the terms of the application of the applica	cable effluent em III-C) m III-B, list rms and units  MAXIMUN Measure  y federal, sta	guideline e  the quantit used in the  QUANTI OI	No (Go to Softy which represent applicable efflutive applicable efflutive (specific application). No (specific application) authority to	ms of production action IV) sents the actuation guideline, uct, Material, ecify)	It measurement and indicate the Etc.	Affected C (list outfall r	mum level of lls.  Outfalls numbers)
3. Are the li  3. If you ar production  Quantity Per  (V. IMPRO  A. Are you upgrading discharge	No (Go to Section mitations in the applications of the applications) Yes (Complete Items wered "Yes" to Items, expressed in the terms of the application of the appli	m IV) cable effluent em III-C) m III-B, list rms and units  MAXIMUM Measure  y federal, sta astewater equipoplication? Ti	the quantitused in the  QUANTI  OI  ate or location or his includes	No (Go to So ty which represent applicable efflut)  TTY  peration, Prod  (specific authority to practices or a s, but is not line)	ms of production in the section IV) sents the actual uent guideline, uct, Material, ecify)  meet any impury other environited to, permi	Etc.  lementation scronmental progt conditions, ac	Affected Outfa  Affected C (list outfall reference of the grams which meaning the contractive of the contrac	mum level of lls.  Outfalls numbers)  construction, any affect the
3. Are the li  3. If you ar production  Quantity Per  (V. IMPRO  A. Are you upgrading discharge	No (Go to Section mitations in the applications in the applications)  Yes (Complete Items are also in the terms are also in the term	m IV) cable effluent em III-C) m III-B, list rms and units  MAXIMUM Measure  y federal, sta astewater equipoplication? Ti	the quantitused in the  QUANTI  OI  ate or location or his includes	No (Go to So ty which represent applicable efflut)  TTY  peration, Prod  (specific authority to practices or a s, but is not line)	ms of production in the section IV) sents the actual uent guideline, uct, Material, ecify)  meet any impury other environited to, permi	Etc.  lementation scronmental progt conditions, ac	Affected Outfa  Affected C (list outfall reference of the grams which meaning the contractive of the contrac	mum level of lls.  Outfalls numbers)  construction, any affect the
B. Are the li  If you ar production  Quantity Per  IV. IMPRO  A. Are you upgrading discharge	No (Go to Section mitations in the applications of the applications) Yes (Complete Items wered "Yes" to Items, expressed in the terms of the application of the appli	m IV) cable effluent em III-C) m III-B, list ms and units  MAXIMUM Measure  y federal, sta astewater equoplication? The	the quantitused in the  A QUANTI  Operate or local control or local contro	No (Go to So ty which represent applicable efflorm)  TTY  peration, Prod  (specific authority to practices or a s, but is not linitions, court order	ms of production in the section IV) sents the actual uent guideline, uct, Material, ecify)  meet any impury other environited to, permi	lementation scronmental progit conditions, acr loan condition	Affected Outfa  Affected C (list outfall reference of the grams which meaning the contractive of the contrac	mum level of lls.  Outfalls numbers)  construction, any affect the
B. Are the li  C. If you ar production  Quantity Per  IV. IMPRO  A. Are you upgrading discharge orders, en	No (Go to Section mitations in the applications are the applications are the swered "Yes" to Items are the applications are the applica	m IV) cable effluent em III-C) m III-B, list ems and units  MAXIMUM Measure  y federal, sta astewater equiplication? The e schedule let	the quantitused in the  A QUANTI  Operate or local control or local contro	No (Go to Softy which represent applicable efflorm)  Try peration, Prod (specific authority to practices or a soft), but is not limitions, court ord  No  LLS BR	ms of production action IV) sents the actual uent guideline, uct, Material, ecify)  meet any impury other environment to, permilers and grant of (Go to Item IV)	lementation scronmental progit conditions, acr loan condition	Affected Outfa  Affected O (list outfall r  hedule for the grams which m dministrative ons.	mum level of lls.  Outfalls numbers)  construction, any affect the

. OPTIONAL: You may attach additional sheets describing any additional water pollution control programs (or other environmental projects which may affect your discharges) you now have under way or which you plan. Indicate whether each program is now under way or planned, and indicate your actual or planned schedules for construction.

2 Revised June 1999

A,	B, & C:	space provide	d.			bles for each outfale sheets numbered	ll – Annotate the outfall nu	ımber in the
D.	which you	know or have rea	ason to believe is	discharged or n	nay be discha	Section 313) listed arged from any outling alytical data in you	in Table C-3 of the instru fall. For every pollutant yo r possession.	ctions, ou list,
	POLL	UTANT	SOU	JRCE		POLLUTANT	SOURC	E
VI	. POTENT	TAL DISCHAR	GES NOT COV	ERED BY AN	ALYSIS			
	Is any poll	utant listed in Ite		e or a compone	nt of a subst		or produce, or expect to u	ise or
		Yes (List all s	uch pollutants bel	low)		No (Go to Item	VI-B)	
В.	Are your o	perations such th of pollutants may	at your raw mater during the next 5	rials, processes, years exceed to	or products wo times the	can reasonably be e maximum values r	expected to vary so that yo eported in Item V?	ur
		Yes (Complete	e Item VI-C)	⊠ No	o (Go to Iten	VII)		
C.	expected le	vered "Yes" to Ite evels of such poll sheets if you need	utants which you	below and desc anticipate will	cribe in detai be discharge	to the best of your I from each outfall	ability at this time the sou over the next 5 years. Cor	irces and itinue on

3

V. INTAKE AND EFFLUENT CHARACTERISTICS

Revised June 1999

VII PIOLOCIC	AL TOYICI	TTV TECTING DATE			
VII. BIOLOGICA	AL IUXICI	ITY TESTING DATA			
		or reason to believe that any biologer in relation to your discharge wit		chronic tox	cicity has been made on any of your
☐ Ye	es (Identify t	he test(s) and describe their purpo	ses below)		No (Go to Section VIII)
		***************************************			
VIII. CONTRAC	T ANALYS	SIS INFORMATION	W		
			4 1-1 4 an aana	10' = Finns C	
		d in Item V performed by a contra		ilting firm?	
⊠ Ye		me, address, and telephone number by each such laboratory or firm be			No (Go to Section IX)
NAME		ADDRESS	ТЕСЕРНО	NE	POLLUTANTS
		l e e e e e e e e e e e e e e e e e e e	/ Area code & n		
SGS North America		618 Posey St., Henderson, KY	(Area code & n (270)827-1187		ANALYZED (list) flow, total iron, total
SGS North America 1ineral Service Divi		618 Posey St., Henderson, KY 42420			ANALYZED (list)
					ANALYZED (list) flow, total iron, total manganese, TSS, dissolved
					flow, total iron, total manganese, TSS, dissolved iron, dissolved manganese,
					flow, total iron, total manganese, TSS, dissolved iron, dissolved manganese,
					flow, total iron, total manganese, TSS, dissolved iron, dissolved manganese,
					flow, total iron, total manganese, TSS, dissolved iron, dissolved manganese,
					flow, total iron, total manganese, TSS, dissolved iron, dissolved manganese,
1ineral Service Divi	ision				flow, total iron, total manganese, TSS, dissolved iron, dissolved manganese,
	ision				flow, total iron, total manganese, TSS, dissolved iron, dissolved manganese,
IX. CERTIFICATION I certify under penalt	ON  Ity of law tha	at this document and all attachme	nts were prepared und	der my dire	ANALYZED (list)  flow, total iron, total manganese, TSS, dissolved iron, dissolved manganese, ecidity, pH  ection or supervision in accordance
IX. CERTIFICATION  I certify under penalt with a system design of the person or pers	ON  Ity of law that the dot of assure sons who ma	at this document and all attachme that qualified personnel properly anage the system, or those persons	nts were prepared uncertainty and evaluate the directly responsible	der my dire e informati	ANALYZED (list)  flow, total iron, total manganese, TSS, dissolved iron, dissolved manganese, ecidity, pH  ection or supervision in accordance ion submitted. Based on my inquiry ng the information, the information
IX. CERTIFICATION  I certify under penalt with a system design of the person or pers submitted is, to the be	ON  Ity of law thated to assure sons who may best of my k	at this document and all attachme that qualified personnel properly anage the system, or those persons	nts were prepared und gather and evaluate the directly responsible te, and complete. I am	der my dire e informati for gatherin a ware tha	ANALYZED (list)  flow, total iron, total manganese, TSS, dissolved iron, dissolved manganese, ecidity, pH  ection or supervision in accordance ion submitted. Based on my inquiry ng the information, the information at there are significant penalties for
IX. CERTIFICATION  I certify under penalt with a system design of the person or pers submitted is, to the be	Ity of law that the ded to assure sons who may best of my krmation, incl	at this document and all attachme that qualified personnel properly anage the system, or those persons nowledge and belief, true, accural luding the possibility of fine and in	nts were prepared uncertainty and evaluate the directly responsible to an apprisonment for known prisonment for known present the directly responsible to the directly res	der my dire e informati for gatherin aware tha ving violati	ANALYZED (list)  flow, total iron, total manganese, TSS, dissolved iron, dissolved manganese, ecidity, pH  ection or supervision in accordance ion submitted. Based on my inquiry ng the information, the information at there are significant penalties for
IX. CERTIFICATION  I certify under penalt with a system design of the person or pers submitted is, to the b submitting false information.	Ity of law that led to assure sons who may best of my kirmation, incl	at this document and all attachme that qualified personnel properly ganage the system, or those persons nowledge and belief, true, accurate luding the possibility of fine and in (type or print):	nts were prepared uncertainty and evaluate the directly responsible to an apprisonment for known prisonment for known present the directly responsible to the directly res	der my dire e informati for gatherin n aware tha ving violati	ANALYZED (list)  flow, total iron, total manganese, TSS, dissolved iron, dissolved manganese, ecidity, pH  ection or supervision in accordance ion submitted. Based on my inquiry ng the information, the information at there are significant penalties for ions.

PLEASE PRINT OR TYPE IN THE UNSHADED AREAS ONLY. You may report some or all of this information on separate sheets (use the same format) instead of completing these pages. (See instructions)

V. INTAKE AND EFFLUENT CHARACTERISTICS (Continued from page 3 of Form C)	EFFLUENT CHA	RACTERIST	ICS (Continued fr	om page 3 of For	rm C)					OUTFALL NO.		
Part A - You must	provide the results o	of at least one a	nalysis for every p	ollutant in this tab	Part A - You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.	le for each outfa	II. See instructions	for additional detail	s.			
				2. EFFLUENT				3. UNITS (specify if blank)	TS blank)	4	4. INTAKE (optional)	
I. POLLUTANT	a. Maximum Daily Value	aily Value	b. Maximum 30-Day Value (if available)	0-Day Value	c. Long-Term Avg. Value (if available)	vg. Value ble)	d. No. of	a. Concentration	b. Mass	a. Long-Term Avg. Value	vg. Value	7
	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	Analyses			(1) Concentration	(2) Mass	No of Analyses
a. Biochemical     Oxygen Demand     (BOD)												
b. Chemical												
Oxygen Demand (COD)												
c. Total Organic												
J Tabl												
C. I Olai												
Solids (TSS)												
e. Ammonia (as N)												
f. Flow (in units of MGD)	VALUE		VALUE		VALUE				MGD	VALUE	-	
g. Temperature (winter)	VALUE		VALUE		VALUE				°c	VALUE		
h. Temperature (summer)	VALUE		VALUE		VALUE				°c	VALUE		
i. pH	MINIMUM	MAXIMUM	MINIMUM	MAXIMUM				STANI	STANDARD UNITS			

5 Revised June 1999

Part B - In the Mark "X" column, place an "X" in the Believed Present column for each pollutant you know or nave reason to believe is present. Place an "X" in the Believed Absent column for each pollutant you believe to be absent. If you mark the Believed Present column for any pollutant, you must provide the results of at least one analysis for that pollutant. Complete one table for each outfall. See the instructions for additional details and

requirements.														
POLLUTANT	MARK	AARK "X"				3. EFFLUENT				UNITS		INTAK	6. INTAKE (optional)	<i>=</i>
AND CAS NO.	ņ	ď.	a. Maximum Daily Value	ily Value	<ul><li>b. Maximum 30-Day</li><li>Value (if available)</li></ul>	0-Day lable)	c. Long-Term Avg. Value (if available)	Avg.	No. of	<b>80</b>	7	a. Long-Term Avg Value	Avg	No. of
(if available)	Believed Present	Believed Absent	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	Analyses	Concentration	Mass	(1) Concentration	(2) Mass	Analyses
a. Bromide (24959-67-9)														:
b. Bromine														
Residual														
c. Chloride														
d. Chlorine,														
Residual														
e. Color														
f. Fecal Coliform				,										
g. Fluoride (16984-48-8)														
h. Hardness (as CaCO <sub>3</sub> )					,									
i. Nitrate – Nitrite (as N)														
j. Nitrogen, Total														
Organic (as N)														
k. Oil and Grease														
l. Phosphorous (as P), Total														į
m. Radioactivity														
(1) Alpha, Total														
(2) Beta, Total														
(3) Radium Total														
(4) Radium, 226, Total														

Total (7440-32-6)	7440-31-5)	(7439-96-6)	<ul><li>y. Manganese, Total</li></ul>	(7439-98-7)	x. Molybdenum Total	(7439-96-4)	w. Magnesium Total	(7439-89-6)	v. Iron, Total	u. Cobalt, Total (7440-48-4)	(7440-42-8)	t Roron Total	s. Barium, Total (7440-39-3)	(7429-90)	r. Aluminum,	q. Surfactants	(28 5O <sub>4</sub> ) (14286-46-3)	p. Sulfite	0 Sulfide	n. Sulfate (as SO <sub>4</sub> ) (14808-79-8)	(if available)	And CAS NO.	I. POLLUTANT	Part B - Continued
																					Believed Present	'n	2. MARK	
														:							Believed Absent	Þ.	2. MARK "X"	
																					(1) Concentration	a. Maximum Daily Value		
																					(2) Mass	y Value		
											THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW										(1) Concentration	b. Maximum 30-Day Value (if available)	EI	
																					(2) Mass	30-Day ilable)	3. EFFLUENT	
																					(1) Concentration	c. Long-Term Avg. Value (if available)		
											:										(2) Mass	n Avg. ilable)		
																					Analyses	d. No. of		
		-																			Concentration	'n	4. UNITS	
																					Mass	à		
																					(1) Concentration	a. Long-Term Avg. Value	INTAK	
																					(2) Mass	. Value	5. INTAKE (optional)	
																					Analyses	No. of	<b>.</b>	

Part C – If you are a primary industry and this outfall contains process wastewater, refer to Table C-2 in the instructions to determine which of the GC/MS fractions you must test for. Mark "X" in the Testing Required column for all such GC/MS fractions that apply to your industry and for ALL toxic metals, cyanides, and total phenols. If you are not required to mark this column (secondary industries, nonprocess wastewater outfalls, and non-required GC/MS fractions), mark "X" in the Believed Present column for each pollutant you know or have reason to believe is present. Mark "X: in the Believed Absent column for each pollutant you believe to be absent. If you mark cither the Testing Required or Believed Present columns for any pollutant, you must provide the result of at least one analysis for that pollutant. Note that there are seven pages to this part; please review each carefully. Complete one table (all seven pages) for each outfall. See instructions for additional details and requirements.

	. Pages) .c.	APIT CULTUIT. C	Se mondener	Carlotte and the second	mic redunen	CII.S.							
<del>.</del>	7	2. MARK "X"				3. EFFLUENT	T			UNITS		5. INTAKE (optional)	ptional)
POLLUTANT And CAS NO.	Þ	a.	b.	а.	b. 1	b. Maximum 30-Day		Avg.	d.	æ	<b>ь</b> .	a. Long-Term Avg Value	b. No. of
	Testing	Believed	Believed	Maximum Daily Value		Value (if available)	Value (if available)		<u> </u>	Concentration	Mass	0	
(if available)	Required	Present	Absent	(1) Concentration N	(2) Mass Conc	(1) (2) Concentration Mass	С	ss	Analyses			(1) (Concentration M	(2) Mass
METALS, CYANIDE AND TOTAL PHENOLS	IDE AND TO	OTAL PHE	NOLS									i	
IM. Antimony													
1 otal (7440-36-0)													
2M. Arsenic,													
Total (7440-38-2)													
3M Bervlium													
Total					<del></del>			_					
(/440-41-/)													
Total													
(7440-43-9)					•								
5M. Chromium													
Total (7440-43-9)													
6M. Copper													
(7550-50-8)													
7M. Lead													
(7439-92-1)													
8M. Mercury													
Total (7439-97-6)						· · · · · ·							
9M. Nickel,													
Total (7440-02-0)													
10M. Selenium,													
Total (7782-49-2)													
11M. Silver,													
Total													
(/440-28-0)								_	_		_		

POLLUTANT -						7,77				_		_	INIANT	HEUDIAU
					_						o and		a.	7
And CAS NO.	a. Testing	a. Believed	b. Believed	a. Maximum Daily Value	Value	b. Maximum 30-Day Value (if available)	-Day 	c. Long-Term Avg. Value (if available)	ble)	No. of	a. Concentration	b. Mass	Long-Term Avg Value	alue b.
(if available)	Required	Present	Absent	(1)		(1)	M (2)	(1)	(2) Mass	Analyses			(1)	(2) Analyses
METALS, CYANIDE AND TOTAL PHENOLS (Continued)	IDE AND T	OTAL PHE	NOLS (Con		ŀ								ŀ	
12M. Thallium,														
(7440-28-0)														
13M. Zinc,														
Total (7440-66-6)														
14M. Cyanide,														
(57-12-5)														
15M. Phenols,														
Total														
DIOXIN						-								
2,3,7,8 Tetra-				DESCRIBE RESULTS:	UTS:									
P, Dioxin (1784-01-6)														
GC/MS FRACTION - VOLATILE COMPOUNDS	ON - VOLA	TILE COM	POUNDS											
IV. Acrolein														
2V.														
Acrylonitrile														
3V. Benzene (71-43-2)														
5V. Bromoform (75-25-2)														
6V. Carbon														
Tetrachloride (56-23-5)									***					
7V. Chloro-														
benzene (108-90-7)														
8V.														
Chlorodibro-														

Bromide (74-83-9)	20V. Methyl	(100-41-4)	benzene	19V. Ethyl-	(452-75-6)	pylene .	Dichloropro-	18V. 1,3-	(78-87-5)	chloropropane	1/V. 1,2-D1-	(/3-33-4)	(75.35 A)	Diablanthian	16V 11-	(107-06-2)	Dichloroethane	15V. 1.2-	(/5-34-3)	Dichloroethane	144. 1,1-	1417	(75-71-8)	bromomethane	12V. Dichloro-	(67-66-3)	Chloroform	11V.	(110-75-8)	ethylvinyl Ether	10V. 2-Chloro-	(74-00-3)	Chloroethane	9V.		(if available)		And CAS NO.	POLLITANT	<b></b>	Fart C - Conunaed
																																				Required	Testing	'n			:
																																				Present	Believed	'n		MARK "X"	د
																														<u>.                                    </u>						Absent	Believed	è.			
														-																					ation 1	(1) (2)	Maximum Daily Value	Þ			
			-																																Conc		ue Value (if available)	b. Maximum 3		E PA	
																																			Mass	(2)	lable)	0-Dav		EFFLUENT	,
																																			Concentration	(1)	Value (if available)	c. Long-Term			
																																			Mass	(2)	able)	Avg.			
										•																										Analyses	No. of	e.			
																																					Concentration	<b>.</b>		UNITS	
																																					Mass	<b>.</b>			
																	,																		Concentration	(£)	(	a. Long-Term Avg Value		NTAK	
																																			Mass	(2)		Value		5. INTAKE (optional)	
																																				,	Analyses	No. of	- 1	<i>=</i> 	

Chloride	30V. Vinyl	(79-01-6)	ethylene	29V. Trichloro-	(79-00-5)	chloroethane	28V. 1,1,2-Tri-	(71-55-6)	chloroethane	27V. 1,1,1-Tri-	(156-60-5)	ethylene	Dichloro-	26V. 1,2-Trans-	(108-88-3)	25V. Toluene	(127-18-4)	ethylene	Tetrachloro-	24V.	(79-34-5)	ethane	Tetrachloro-	23V. 1,1,2,2-	(75-00-2)	Chloride	22V Methylene	(74-87-3)	Chloride	21V Methyl	(H AVAHADIC)   Net		And CAS NO.	POLLUTANT	1.	Part C - Continued
												-																			Required	Daguing	2.		3	
																															Fresent	Property	Pelinind		MARK "X"	اد
																															Absent	ренечеи	<b>D</b> aliana	•		
																														Contentiation	(1)	Maximum Dany Varue	Maximum Pail.			
																														171000	Mass	anika	. <b>V</b>			
																														Concentiation	(1)	HRAE II) SHIEA	b. Maximum 30-Day		巴利斯	
																								İ	,	•				COURTAI	M <sub>255</sub>	iabie)	0-Day		S. EFFLUENT	,
																														Concentiation	(1)	IRAR II) anira	c. Long-Term Avg.			
																														CCDIA	Magg	iable)	Avg.			
																															Analyses	NO. 01	<u>.</u>			
																																Concentration	а.		UNITS	
													,																			SSRIA	5			
																														Concent ation	(1)		Long-Term Avg. Value	'n	INTAK	
																***														SCRIAI	(3)		g. Value		5. INTAKE (optional)	
		,																														Analyses	No. of	è.	1)	

I.	And CAS NO.	(if available)	GC/MS FRACTION – ACID COMPOUNDS	1A. 2-Chloro-	phenol (95-57-8)	2A. 2,4- Dichlor-	Orophenol	(120-83-2)	3A.	ylphenol	(103-6/-9)	o-cresol	(534-52-1)	5A. 2,4-Dinitro-	phenol (51-28-5)	6A. 2-Nitro-	phenol	7A 4 Nitro	phenol	(100-02-7)	8A. P-chloro-m-	(59-50-7)	9A.	Pentachloro-	phenol (87-88-5)	10A. Phenol	(108-05-2)	11A. 2,4,6-Tri-	(88-06-2)	GC/MS FRACTION - BASE/NEUTRAL COMPOUNDS	1B. Acena- phthene	(83-32-9)
	a. Testing	Required	ON - ACID																											ON BASE/		
2. MARK "X"	a. Believed	Present	COMPOUN									·																		NEUTRAL		
	b. Believed	Absent	DS																											COMPOUN		
	a. Maximum Daily Value	(1) Concentration																												DS		
	y Value	(2) Mass																														
EFF	b. Maximum 30-Day Value (if available)	(1) Concentration																														
3. EFFLUENT	80-Day lable)	(2) Mass																														
	c. Long-Term Avg. Value (if available)	(1) Concentration																														
	Avg. lable)	(2) Mass																														
:	d. No. of	Analyses																														
4. UNITS	a. Concentration																															
	b. Mass																															
INTAH	a. Long-Term Avg Value	(1) Concentration																														
5. INTAKE (optional)	g Value	Mass															-					,									•	
	No. of Analyses												-																			

Part C - Continued	ed													
) most	-	2. MARK "X"				3. EFFLU	3. EFFLUENT				4. UNITS		5. INTAKE (optional)	nal)
POLLUTANT And CAS NO.	es.	po	7	<b>ω</b>	<b>-</b>	h. Maximum 30-Day	Dav	c. Long-Term	A vø.	<b>a</b> .	<b>2</b> 2	7	a. Long-Term Avg Value	No. of
	Testing	Believed	Believed	Maximum Daily Value		Value (if available)	ble)	Value (if available)	ıble)	No. of	Concentration	Mass	q	Analyses
(if available)	Required	Present	Absent	(1) (Concentration M		(1) Concentration	(2) Mass	(1) Concentration	Mass	Analyses			(1) (2) Concentration Mass	
GC/MS FRACTION - BASE/NEUTRAL COMPOUNDS (Continued)	ON - BASE/	NEUTRAL	COMPOUN											
2B. Acena-														
phtylene (208-96-8)														
3B. Anthra-					-									
cene														
(120 12 1)														
Benzidine														
(92-87-5)														
5B. Benzo(a)-														
anthracene (56-55-3)														
6B. Benzo(a)-														
pyrene (50-32-8)														
7B. 3,4-Benzo-														
fluoranthene														
8B. Benzo(ghl)														
perylene														
(191-24-2)														
9B. Benzo(k)-														
(207-08-9)														
10B. Bis(2-														
chlor-														
oethoxy)-														
(111-91-1)					···········									
11B. Bis														
(2-chlor-								***************************************						
Ether														
12B. Bis														
(2-ethyl-														
hexyl)-														
pntnatate (117-81-7)														

Part C - Continued	ed														
		2. MARK "X"				EFFI	3. EFFLUENT				4. UNITS		INTAK	5. INTAKE (optional)	
And CAS NO.	a. Testing	a. Believed	b. Believed	a. Maximum Daily Value	v Value	b. Maximum 30-Day Value (if available)	-Day	c. Long-Term Value (if avail	Avg.	No. d. of	a. Concentration	b.	a. Long-Term Avg Value	Value	No. of
(if available)	Required	Present	Absent	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) (2) Concentration Mass	(2) Mass	Analyses			(1) Concentration	(2) Mass	
GC/MS FRACTION - BASE/NEUTRAL COMPOUNDS (Continued)	ON - BASE/	NEUTRAL	COMPOUN	DS (Continued)											
13B. 4-Bromo-															
phenyl Phenyl ether													<del></del>		
(101-55-3)												·			
14B Butyl-															
benzyl															
phthalate (85-68-7)															
15B. 2-Chloro-															
naphthalene (7005-72-3)															
16B. 4-Chloro-															
phenyl													-		
(7005-72-3)															
17B. Chrysene							-								
(218-01-9)															
18B. Dibenzo-															
Anthracene															
(53-70-3)															
19B. 1,2-															
Dichloro-															
(95-50-1)															
20B. 1,3-															
Dichloro-															
(541-73-1)															
21B. 1,4-															
Dichloro-															
(106-46-7)															
22B. 3,3-															
Dichloro-															
(91-94-1)															
23B. Diethyl															
Phthalate (84-66-2)															

Part C - Continued	ed				:										
-		2. MARK "X"				EFFI	3. EFFLUENT				4. UNITS		INTAK	5. INTAKE (optional)	5
And CAS NO.	as as	, po	p.	ລຸ		b. Maximum 30-Day	-Day	c. Long-Term	Avg.	d.	a.	ь.	a. Long-Term Avg. Value	. Value	b. No. of
(if available)	Required	Present	Absent	(1) (2)	Y (2)	(1) (2	(2)	(1) (2)	(2)	Analyses	Concentration	MASS	(1)	(2)	Allalyses
GC/MS FRACTION - BASE/NEUTRAL COMPOUNDS (Continued)	ON - BASE/	NEUTRAL	OMPOUN	DS (Continued)											
24B. Dimethyl														i	
Phthalate		-		- 10 MH 10											
25B. Di-N-															
butyl Phthalate															
(84-74-2)															
26B.															
toluene															
77R															
2,6-Dinitro-															
toluene (606-20-2)															
28B. Di-n-octyl															
(117-84-0)													•		
29B. 1,2-															
diphenyl-															
azonbenzene)															
(122-66-7)															
30B.															
(208-44-0)															
21B El.,															
(86-73-7)															
32B.															
benzene															
(118-71-1)															
33B.															
Hexachloro-															
(87-68-3)															
34B.															
Hexachloro-															
cyclopenta-															
(77-47-4)															

TOTAL COMPOUNDS (Continued)  Abstant of the continued)  Auto (Continued)  Total (Continue	Part C - Continued	ued	2.					اد				4			7	1
ASYNO,   T. a.,   Brieved   Believed   Conveniration   Mass   C	1.		MARK "X"				EFFI	LUENT				UNITS		INTAKE (optional)	(optio	nal)
Signature   Present   Above   Concentration   Mass   Concentration	And CAS NO.	a.	a. Relieved	b.	Maximum Pails	Valua	b. Maximum 30	)-Day	c. Long-Term	Avg.	, e	2.	<b>5</b>	a. Long-Term Avg Value	Value	
PRINCITION - BASIC/NELITRAL (COMPOUNDS (Continued)  Pacification  Pacifi	(if available)	Required	Present	Absent	(1) Concentration	(2)	(1)	(2)	(1)	M (2)	Analyses			(1)	M <sub>288</sub>	
358 Hexachlo- (6772-1)       368 Indexedon (6772-1)         368 Indexedon (6772-1)       368 Indexedon (6772-1)         (12.3-ac) (12.3-ac)       (12.3-ac)         (12.3-ac) Percent (193-36-5)       378 (193-36-1)         378 Saphorone (193-36-5)       388 (193-36-1)         388 Naphalere (193-36-1)       388 (193-36-1)         389 Naphalere (193-36-1)       388 (193-36-1)         389 Naphalere (193-36-1)       388 (193-36-1)         389 Naphalere (193-36-1)       388 (193-36-1)         389 Naphalere (193-36-1)       388 (193-36-1)         389 Naphalere (193-36-1)       388 (193-36-1)         389 Naphalere (193-36-1)       388 (193-36-1)         389 Naphalere (193-36-1)       388 (193-36-1)         389 Naphalere (193-36-1)       388 (193-36-1)         389 Naphalere (193-36-1)       388 (193-36-1)         389 Naphalere (193-36-1)       388 (193-36-1)         389 Naphalere (193-36-1)       389 (193-36-1)         389 Naphalere (193-36-1)       389 (193-36-1)         389 Naphalere (193-36-1)       389 (193-36-1)         389 Naphalere (193-36-1)       389 (193-36-1)         389 Naphalere (193-36-1)       389 (193-36-1)         389 Naphalere (193-36-1)       389 (193-36-1)         380 Naphalere (193-36-1)       389 (193-36	GC/MS FRACT	ION - BASE/	NEUTRAL	COMPOUN	DS (Continued)											-
(167-72-1)   (16	35B. Hexachlo-					,										-
(1.2.3-9.5) (1.2.3	(67-72-1)															
(1, 2, 3-6)   (1, 2, 3-6)	36B Indneo-															+
Pictor   P	(1,2,3-oc)-															
(193-39-5)   (19	Pyrene															
Saphorone   Saphorone   Saphorone   Saphorone   Saphase   Saphas	(193-39-5)															
(78-59-1) (38B) (39B) (3	37B.															-
38B.       38B.         Naphalene       (91-20-3)         93B.       (91-20-3)         39B.       (91-20-3)         Nitro-benzene       (98-95-3)         40B. N-Vitroso-dimethyl-amine (62-75-9)       (80-20-4)         40B. N-Nitrosodi-n-propylamine (62-75-9)       (80-20-4)         42B. N-nitrosodi-n-propylamine (62-75-9)       (80-20-4)         42B. N-nitrosodi-n-propylamine (62-75-9)       (80-20-4)         42B. N-nitrosodi-n-propylamine (62-75-9)       (80-20-6)         42B. Phenan-there       (80-20-6)         42B. Phenan-there       (80-20-6)         43B. Phenan-there       (80-20-6)         43B. Pyrane (82-90-6)       (80-20-6)	(78-59-1)															
Naprhalene	38B															+
981-20-3) (91-20	Napthalene															
398. Nitro- benzene (98-95-3) 40B. N-Nitroso- dimethyl- anine (62-75-9) (62-75-9) (70-4-77) (70-	(91-20-3)															
Nitro- benzene (98-95-3) 40B. N-Nitroso- dimethyl- amine (62-75-9) 41B N-nitro- sodiphenyl- sodiphenyl- sonine (82-164-7) (86-30-6) 43B. Phenan- therine (85-01-8) 44B. Pyrene (12-0-82-1) 44B. Pyrene (12-0-82-1)	39B.															
Detizenie (98-95-3) 40B. N-Nitroso- dimethyl: amine (62-75-9) 41B N-nitrosodi-n- propylamine (621-64-7) 42B. N-nitro- sodiphenyl: amine (83-01-8) 43B. Phenan- threne (85-01-8) 44B. Pyrene (120-82-1) 45B. Pican- thero- benzene (120-82-1)	Nitro-															
40B. N. Nitroso- dimethyl- amine (62-75-9) (62-75-9) (81B) N. N. Hitrosodi-n- propylamine (621-64-7) (621-64-7) (821-64-7) (823-04-) (823-04-) (823-04-) (823-04-) (823-04-) (823-04-) (823-01-8) (823-04-) (823-04-) (823-04-) (823-01-8) (823-04-) (	(98-95-3)								-							
dinethyl- amine (02-75-3) 41B N-nitrosodi-n- propylamine (621-64-7) (624-64-7) 42B N-nitro- sodiphenyl- amine (86-30-6) 43B Phenan- threne (85-30-6) 43B Pyrene (120-02-0) 45B 1,24 Tri- benzene (120-82-1)	40B. N-Nitroso-															$\top$
amine (62.75-59) 41B N-nitrosod:n- propylamine (621-64-77) 42B N-nitro- sodiphenyl- amine (86-30-6) 43B Phenan- threne (86-30-6) (85-01-8) (85-01-8) 44B Pyrenne (129-00-0) 45B 1.2.4 Tin- benzene (120-82-1)	dimethyl-															
Albanicosodi-n-  Propylamine   (621-64-7)	amine (62-75-0)															
N-nitrosodi-n- propylamine (621-64-7)  42B N-nitro- sodiphenyl- amine (86-30-6)  43B Phenan- threne (85-01-8)  44B Pyrene (129-00-0)  45B 1,2,4 Tri- benizene (120-82-1)	41B.															
Propylamine	N-nitrosodi-n-															
42B N-nitro- sodiphenyl- amine (86-30-6) 43B Phenan- threne (85-01-8) 44B Pyrene (129-00-0) 45B 12.4 fri- chloro- benzene (120-82-1)	propylamine				**						· · · · ·					
sodiphenyl- amine (86-30-6)  43B. Phenan- threne (85-01-8)  44B. Pyrene (129-00-0)  45B. 1,2,4 Tri- chloro- benzene (120-82-1)	42B N-nitro-															T
amine (86-30-6) (98-30-6)	sodiphenyl-															
(80-30-0) 43B. Phenan- threne (85-01-8) 44B. Pyrene (129-00-0) 45B. 1,2,4 Tri- choro- benzene (120-82-1)	amine															
threme (85-01-8)  44B. Pyrene (129-00-0)  45B. 1,2,4 Tri-chloro-benzene (120-82-1)	(30-50-0)															T
(85-01-8)       (85-01-8)         44B. Pyrene       (129-00-0)         45B. 1,2,4 Tri-chloro-benzene       (129-00-0)         (120-82-1)       (120-82-1)	threne															
44B. Pyrene (129-00-0) 45B. 1,2,4 Tri- chloro- benzene (120-82-1)	(85-01-8)															
44B. Pyrene (129-00-0) 45B. 1,2,4 Tri- chloro- benzene (120-82-1)	;															$\neg$
45B. 1,2,4 Tri- chloro- benzene (120-82-1)	(129-00-0)															
chloro- benzene (120-82-1)	45B. 1,2,4 Tri-															
benzene (120-82-1)	chloro-															
122-021)	benzene															
	(120-02-1)							ļ					L			-

POLLITANT	And CAS NO.	(if available)	GC/MS FRACTION - PESTICIDES	1P. Aldrin (309-00-2)	2P. α-BHC (319-84-6)	3P. β-BHC (58-89-9)	4P. gamma-BHC (58-89-9)	5P. δ-BHC (319-86-8)	6P. Chlordane (57-74-9)	7P. 4,4"-DDT (50-29-3)	8P. 4,4"-DDE (72-55-9)	9P. 4,4"-DDD (72-54-8)	10P. Dieldrin (60-57-1)	11P. α- Endosulfan (115-29-7)	12P. β- Endosulfan (115-29-7)	13P. Endosulfan Sulfate (1031-07-8)	14P. Endrin (72-20-8)
	a. Testing	Required	ON - PESTI														
2. MARK "X"	a. Believed	Present	CIDES														
	b. Believed	Absent															
	a. Maximum Daily Value	(1) Concentration															
	y Value	Mass															
EFI	b. Maximum 30-Day Value (if available)	(1) Concentration															
3. EFFLUENT	0-Day lable)	(2) Mass															
	c. Long-Term Avg. Value (if available)	(1) Concentration															
	Avg. able)	(2) Mass															
	d. No. of	Analyses												:	:		
4. UNITS	a. Concentration																
	b. Mass																
IATNI	a. Long-Term Avg. Value	(1) Concentration															
5. INTAKE (optional)	g. Value	(2) Mass															
1	No. of Analyses																

Part C - Continued  1. POLLUTANT And CAS NO. (if available)  GCMS FRACTION - PESTICIDES 15P. Endrin Aldehyde (7421-93-4)  16P Heptachlor	a. Testing Required	A. Believed Present TCIDES	b. d Believed	A.  Maximum Daily Value (1) (2)  Concentration Mass	b. Maximum 30-Day Value (if available) (1) Concentration Maximum 30-Day Value (if available) (A)	3. EFFLUENT um 30-Day available) (2) on Mass	c. Long-Term Avg. Value (if available) (1) (2) Concentration Ma	Avg. able) (2) Masss	d. No. of Analyses	d. No. of Concentration Analyses	Concen	LONG A.  Concentration Mass (1)  Concentration (1)	4. UNITS  a. Concentration Mass
16P Heptachlor (76-44-8) 17P. Heptaclor Epoxide (1024-57-3) 18P. PCB-1242													
(53469-21-9) 19P. PCB-1254 (11097-69-1)													
20P. PCB-1221 (11104-28-2) 21P. PCB-1232													
22P. PCB-1248 (12672-29-6)													
23P. PCB-1260 (11096-82-5) 24P. PCB-1016 (12674-11-2)													
25P. Toxaphene (8001-35-2)		:											